नई दिल्ली, शनिवार, नवम्बर 23, 1996 (अग्रहायण 2, 1918)

No. 471 NEW DELHI, SATURDAY, NOVEMBER 23, 1996 (AGRAHAYNA 2, 1918)

इस भाग में भिन्न एछ संख्या दी जाती है जिससे कि वह सहाय संकलन के रूप में रखा जा सके। [Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III-- स्थवह 2 IPART IH-SECTION 21

पेटेन्ट कार्यालय दारा जारी की गई पेटेन्टों और डिजाइनों से सम्अन्धित अधिसूचनाएं और नोटिस [Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE

PATENTS AND DESIGNS

Calcutta, the 23rd November 1996

ADDRESSES AND JURISDICTIONS OF THE OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial jurisdiction on a zonal basis as shown below :--

Patent Office Branch. Todi Estates, IIIrd Floor, Lower Parel (West), Bombay-400 013.

The States of Gujarat, Maharashtra, Madhya Pradesh and Goa and the Union Territorles of Daman and Diu and Dadra and Nagar Havell,

Patent Office Branch, Unit No. 401 to 405, IIIrd Floor, Municipal Market Building, Saraswati Marg, Karol Bagh, New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan, Uttar Pradesh and Delhi and the Union Territory of Chandigarh.

Telegraphic address "PATENTOFIC".

Telegraphic address "PATOFFICE".

Patent Office Branch, 61, Wallajah Road, Mudras-600 002.

The States of Andhra Pradesh, Karnataka, Tamilnadu and Pondicherry and the Union Territories of Laceadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIS".

Patent Office (Head Office), "NIZAM PALACE", 2nd M.S.O. Building, 5th, 6th and 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020,

Rest of India

Telegraphic address "PATENTS".

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate offices of the Patent Office.

Fees :-- The fees may either be point in each or may be sent by Money Order or payable to the Controller at the appropriate Offices or by bank draft or cheque payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

पेटोंट कार्डालय

एकस्व तथा अभिकल्प

कलकत्ता, दिनांक 23 नवम्बर 1996

पैटर्ट कार्यालय के कार्यालयों के एते एवं क्षेत्राधिकार

्टेंट कार्यालय का प्रधान कार्यालय कलकत्तं में प्रवस्थित हैं क्या बम्बई, दिल्ली एवं महास में इसके शास्त्रा कार्यालय हैं, जिनके पाएंशिक क्षेत्राधिकार जॉन के आधार पर निम्न रूप में प्रवस्थित हैं।

पेटेंट कायलिय शासा, टोडी इस्टेट पैसरा तल, लोअर परेल (पश्चिम), वस्बर्ए-400013 ।

> गुजरात, महाराष्ट्र तथा मध्य हदोश तथा गोआ राज्य क्षेत्र एवं संघ शासित क्षेत्र दमन तथा दीव एवं दादरा और नगर इवेली ।

तार पता-"पटा फिस"

भेटंट कार्यात्रय सासा,
एकक थे. 401 में 405, तीसरा नल,
नगरपालिका बाजार भवन,
सरस्वती मार्ग, धरोल बाग,
नर्ग विल्ली-110005 ।

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कश्मीर, पंजाब, राजस्थान, उत्तर प्रदेश तथा विल्ली राज्य क्षेत्री एक संब शासित क्षेत्र भण्डीगढ ।

तार पता- 'पेट'टोफिक'

APPLICATION FOR PATENT FILED AT THE HEAD OFFICE 234/4. ACHARYA JAGADISH BOSE ROAD, CALCUTIA-20.

The dates shown in the crecent bracket are the dates claimed under section 135, of the Patent Act, 1970.

21-08-96

- 1488/Cal 96 Sachiko Hayashi. "Water treatment process and system". (Convention No. 7-213864 on 23-8-95 & 8-1858 on 10th January, 1996 in Japan).
- 1489 Cul 96 W. Schlafhorst Ag & Co. "Method and device for monitoring of pneumatic splicing device (Tucking)". (Convention No. P-19534114.7 on 14-9-95 in Germany).
- 1490/Cal/96 Daewoo Electronics Co., Ltd., "Method for the formation of a thin film actuated mirror array".

 (Convention No. 95-25838 on 22-8-95 & 95-29932 on 14-9-95 in South Korea).
- 1491/Cul/96 Autosplice Systems. Inc., "Electrical Capacitor, capacitor parts and method of making". Convention No. 08/519.950 on 28th August, 1995 in U.S.A.).
- 1492 (Cal/96 On a Electro-Erosion, S.A.. "Semi-watertight structure for sealing plate of an immersion wire electric discharge machine". (Convention No. 9601191 on 6th May, 1996 in Spain).

पेटेंट कार्यालय शासा,

61. बालाजाह रोड.

महास-600002 ।

आन्ध्रं प्रयोश, कर्नाटक, केरल, तमिलनाड्यु तथा पाण्डिचेरी राज्य क्षेत्र एवं संघ शासित क्षेत्र कक्षव्यीप, मिनिकाय तथा एमिनिदिवि दवीप।

तार पता-"पेटांफिस"

पेटेंट कार्यालय (प्रधान कार्यालय), निजास पौलेश, हिंदीय ब्हुनलीय कार्यालय, भवन, 5, 6 तथा 7वां तल, 234/4, आचार्य जगवीश बोस मार्ग, कलकत्ता-700020।

भारत का अवशेष क्षेत्र ।

तार पना-"**पेट ट्स**"

• पेटांट अधिनियम, 1970 या पेटांट नियम, 1972 में अपं-क्षित सभी आवेदन-पत्र, सूचनाएं, विवरण या अन्य प्रलेख पेटांट कार्यालय के केवल उपधुक्त कार्यालय में ही प्राप्त किये आयेंगे।

श्रुक्त :---श्रुक्ति की अदायगी या तो नकद की आएगी अथवा उपयुक्त कार्यालय से नियंत्रक को भुगतान योग्य धनाद श अथवा डाक आदेश या जहां उपयुक्त कार्यालय अवस्थित है; उस स्थान के अनुस्थित बैंक से नियंत्रक को भ्गतान थेग्य बैंक ब्राफ्ट अथवा चैंक द्वारा की जा सकती हैं।

- 1493/Cal/96 Meneil-Ppc, Inc., "Absorbent products", (Convention No. 08/522,772 on 1st September, 95 in U.S.A.)
- 1494/Cal/96 Meneil-PPC, Inc. "Absorbent Article having complaint cuffs". (Convention No. 08/522,876 on 1st September, 1995 in U.S.A.).
- 1495/Cal/96 Mcnc l-PPC, Inc., "Stabilized absorbent article". (Convention No. 08/522881 on 1-9-95 in U.S.A.).
- 1496/Cal/96 Aerotherm Corporation, "Rocket engine burner with porous metal injector for throttling over a large thrust range". (Convention No. 08/521,392 on 22-8-95 in U.S.A.).

22-08-96

- 1497/CnI/96 Daewoo Electronics Co. Ltd., "Pump housing and a manufacturing method therefor". (Convention No. 95-48130 on 9-12-95 in Korea).
- 1498/Cal/96 Brooke Bond Lipton India Limited, "Process for the manufacture of a food product".
- 1499/Cal/96 Danieli & C. Officine Meccaniche SPA, "Method to equalise the temperature in a heating furnace with a controlled-oxidisation ambient and heating furnace carrying out the method". (Convention No. UD 95A000175 on 13-9-95 in Italy).

- .1500/Cal/96 The Tensar Corporation, "Bonded composite knitted structural textiles". (Convention No. 08/520,018 on 28-8-95 in U.S.A.).
- 1501/Cal/96 Anil Krishna Kar, "Fibre reinforced concrete,

23-08-96

- 1502/Cal/96 ICI India Limited, "An improved method of manufacture of water-in-oil emulsion explosive".
- 1503/Cal/96 Daewoo Electronics Co. Ltd., "Method for patterning a metal layer". (Convention No. 95-33525 ou 30-9-95 in South Korea).
- 1504/Cal/96 Daewoo Electronics Co. Ltd., "Method and apparatus for encoding a contour image in a video signal". (Convention No. 96-27949 on 11-7-96 in South Korea).
- 1505/Cal/96 Allergan, "On-site syringe filling apparatus for viscoelastic materials, and corresponding method for on-site syringe filling".
- 1506/Cal/96 Jackson Wing, Allen Chen; Roy Chen; "High performance hydride electrode material and process for producing the same."
- 1507/Cal/96 Clover Corporation Pty. Ltd., "Composition and method".

26-8-96

- 1508/Cal/96 Fine Organics Limited; Agro-Kanesho Company Ltd; "Preparation of substituted thiazoies". (Convention No. 9518824.9 on 14-9-95 in United Kingdom).
- 1509/Cal/96 Universal Air Technology, Inc., "Photocatalytic air disinfection". (Convention No. 08/524, 284 on 6th September, 1995 & 08/647,070 on 9th May, 1996 in U.S.A.).
- 1510/Cal/96 Hitachi Ltd., "Power conversion apparatus". (Convention No. 7-230990 on 8-9-95 in Japan).
- 1511/Cal/96 Hitachi, Ltd., "Liquid crystal display apparatus", (Convention No. 7-232317 on 11th September, 1995 in Japan).
- 1512/Cal/96 Steigerwald Arzneimittelwerk Ombh, "Method for the production of magnesium pyridoxal-5'—phosphate glutamate and intermedicate products obtained thereby'. (Convention No. 19532625.3 on 4th September, 1995 in Germany).
- 1513/Cal/96 Siemens AKTIENGESELLSCHAFT, "Method for the control of means of transport". (Convention No. 19533127.3 on 7th September, 1995 in Germany).
- 1514/Cal/96 Siemens Aktiengesellschaft, "Process and circuit arrangement for transmitting received signals from an antenna to a base station of a radio system". (Convention No. 19533262.8 on 8-9-95 in Germany).
- 1515/Cal/96 Midrex International B. V. Rotterdam, Zurich Branch, "circulating fluidized bed direct reduction system". (Convention No. 08/527,772 on 13-9-95 in U.S.A.).
- 1516/Cal/96 Germix Oy, "Method and apparatus for producing concrete elements". (Convention No. 954074 on 30-8-95 in Finland).
- 1517/Cal/96 Tetra Laval Holdings & Finance S.A. "A method of fastening a strip of thin sheet metal on a conical separation disc of thin sheet metal, and a separation disc provided in this manner with a strlp of thin sheet metal". (Convention No. 9503092-0 on 8-9-95 in Sweden).

27-08-96

1518/Cal/96 Haradhan Ghosal, "Circular rolling of rolled steel angle & tee in cold state using a specific set of die on three roll machine".

1519/Cal/96 Daewoo Electronics Co. Ltd., "Circuit for sensing communication state". Convention No. 95-26842 on 28th August, 95 in Korea).

The community of finding of

- 1520/ Cal/ 96 Daewoo Electronics Co. Ltd., "Thin film actuated mirror array for use in an optical projection system".
- 1521 Cal 96 Siemens Aktiengesellschaft, "Housing for a sound absorber which can be connected to a compressor". (Convention No. 19534298.4 on 15-9-95 in Germany).
- 1522/Cal/96 Siemens Aktiengesellschaft, "Housing consisting of two housing halves to: a side channel compressor". (Convention No. 19534296.8 on 15-9-95 in Germany).
- 1523/Cal/96 Siemens Aktiengesellchaft, "Side channel compressor", (Convention No. 19534296.8 on 15-9-95 in Gormany),
- 1524/Cal/96 Siemens Aktiengesellchaft, "Chip Module". (Convention No. 19535989.5 on 27-9-1995 in Germany).
- 1525/Cal/96 Krone Aktiengesellchaft, "Earthing bracket, in particular for use in a connecting device for the telecommunication and data technique". (Convention No. 29515982.0 on 29-9-95 in Germany).
- 1526, Cal/96 Emitee Gesellschaft Fur Emmissions Technologie MBH, "Electrically heatable honeycomb body with stiffened current distribution structures". (Convention No. 19537131.3 on 5-10-95 in Germany).
- 1527/Cal/96 The Southern New England Telephone Co., "Hybrid communications and power cable and distribution method and network using the same". (Convention No. 08/519,998 on 28-8-1995 in U.S.A.).
- 1528/Cal/96 Western Adas U. K. Limited, "Improved gate change facility". (Convention No. 9518293.7 on 7-9-95 in U.K.).

ALTERATION OF DATE U/S 16.

177109

Patent No. 1045/Cal/94 Ante dated to 21st April, 1993.

Patent No. 550/Cal/92 Ante dated to 25th April, 1990.

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month, applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form-15, of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule-36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification,

Typed or photo copies of the specifications logether with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on

payment of the prescribed copying charges which may be as ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/-.

स्यीकृत सम्पूर्ण विकिदः श

एतद्ववारा यह सूचना दी जाती है कि सम्बद्ध आवंदनीं में सं किसी पर पेटोंट अनुवान के विरोध करने के इच्छूक कोई स्थापित, इसके निर्मम की तिथि से चार (4) महीने या अगिम ऐसी अवधि जो उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपत्र 14 पर आवेदित एक महीने की अविकि से अधिक न हो, के भीतर कभी भी नियन्त्रक, एकस्य को अपयुक्त कार्यालय में ऐसे बिरोध की सूचना विद्वित प्रपन्न 15 पर दे सकते हों । विरोध सम्बन्धी लिखिस वक्तक्य, उक्त सूचना को साथ अथवा पंटोंब नियम, 1972 को नियम 36 में यथा विहित इसकी धिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

"प्रत्येक विनिद्देश के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गी करण तथा अन्तर्राष्ट्रीय वर्गी करण के अनुरूप है । ''

रूपांकन (चित्र आरोसी) को फोटो प्रतियां यदि कोई हो, अते साथ विनिद्देशों की अंकित अथवा फीटो प्रतियों की आपूर्ति पैटेंट कार्यालय, कलकता अथवा उपयुक्त शाला कार्यालय द्वारा विहित्त लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र व्यवहार द्वारा ्रीकात करने के उपरान्त उसकी अवायगी पर को जा सकती हैं। विनिर्देश की एवड संख्या के साथ प्रस्थेक स्वीकृत विनिर्देश के सामने नीचे वर्णित चित्र आरेख कागर्जा को जोडकर उसे 2 से गुणा करके, (क्यों कि प्रत्येक पष्ठ का लिप्यान्तरण प्रभार 2/- रह. है) फीटो भिष्यान्तरण प्रभार का परिकलन किया जा सकता है ।

Ind. Cl.: 55 E₄ Gr [XIX (1)], 32F₂(b) IX(1) 177141 Int. Cl.: C 07. G-11/00, A 61 K-31/00, A 01 N-63/00,

A PROCESS FOR THE EXTRACTION OF A NOVEL SUBSTANTIALLY ANHYDROUS STABLE CRYSTALLINE CEFADROXIL CONTAINING UNIQUE PHYSICAL CHARACTERISTICS.

Applicants: LUPIN LABORATORIES LTD., 159 C.S.T. ROAD. KALINA, SANTACRUZ (E) BOMBAY-400 098, MAHARASTRA. INDIA.

Inventor: 1. DR. PALA ANJI REDDY AND . 2. DR. NIRANJAN LAL GUPTA.

Application No. 72/Bom/1993 filed on March 19, 1993.

Appropriate office for opposition proceedings (Rule 4. Patents Rules, 1972), Patent Office Branch, Bombay-400 013.

4 Claims

A process for the preparation of a novel crystalline cefadroxil the crystalline structure of which contains a level of water of crystallization uniformly lower than that of cefadroxil hemihydrate and which posesses the following unique x-ray diffraction properties:

Spacings (A)	Relative Intensity
10.61	13.29
8.70	100,00
8.05	. 38. 2 5
7.11	15.47
6.72	28.30
6.37	14.95
5. 9 9	20.17
5.68	10.78
·- 5.48	6.57
4.80	37.22
4.68	27.70
4.63	13.33
4.25	42.35
4.15	18.77
4.00	24.76
3.97	29.13
3.87	8.59
3.81	22.82
3 5 2	6. 26
3.38	7.62
3.35 .	12.53
3.31	9.30
3.23	6.51
2.94	7.68
2.89	8.27
2.87	10.90
2.67	6.31
2.64	13.36
2.55	5.52

Which comprises slurrying a cefadroxil amide solvate in a solvent system comprising methanol and isopropyl alcohol in the range of 40% to 80% v/v and water in the range of 1% to 10% v/v and separating in any known manner the resultant substantially anhydrous crystalline cefadroxil.

lad. Cl.: 40 B Gr. [IV(1)]

177142.

Int. Cl. B 01 J-23/16, 23/22 & 23/28.

A PROCESS FOR THE PREPARATION OF VANADIUM MOLYBDENUM BASED CATALYST FOR USE IN THE MANUFACTURE OF AROMATIC NITRILES

Applicant: ARMOUR CHEMICALS LIMITED INDIAN COMPANY HAVING ITS REGISTERED OFFICE AT 54-A, M. VASANJI ROAD ELITE AUTO BLDG. ANDHERI (EAST) BOMBAY-400 093, MAHARASHTRA, INDIA.

Application No. 76/Bom/93 filed on 15-03-93

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, Bombay-400 013.

07 Claims

A process for the preparation of a Vanadium Molybdenum based catalyst for use in the manufacture of avomatic nitriles comprising.

- (a) preparing a solution of vanadium salt or vanadium oxide in water:
- (b) edding a week acid to the said solution in the ratio of salt solution to acid 1: 2 to 4 by wt.
- (c) thoroughly mixing the salt of oxide solution and the acid to obtain a uniform mixture;
- (d) heating the mixture of step (c) above to temperatures in the range of 50° to 60° C;
- (e) adding a salt solution of Mo or a solution of Mo Oz in water to the hot solution of step (d) with constant stirring till a uniform slurry is obtained;
 - (f) evaporating the water to obtain a thick slurry;
- (g) adding a catelyst support material in the solid state in the required shape and size and mixing the same till a final mass is obtained.
 - (h) drying the mass of step (g) and
- (i) calcining the dried mass at temperature in the tange of 450 to 550°C.

Complete specification-16 pages;

Drawing-Nil

Ind. Ci.: 48 A 5 Gr [L VIII (3)]

177143.

Int. Cl.: H 01 B-11/00.

A CABLE FOR ELECTRONIC EQUIPMENT.

Applicant & Inventor: AJAY BABURAO SHIRKE INDI-AN NATIONAL OF 72-76. INDUSTRIAL ESTATE, MUNDHWA PUNE-411 036. MAHARASHTRA-INDIA.

Application No. 1: 117/Bom/93 with Provisional specification filed on 22-04-93.

Complete after Provisional Specification filed on 24-06-94.

Appropriate Office for opposition proceedings (Rule 4, Patens Rules, 1972), Patent Office Branch Bombay-13.

08 Claims

A cable for electronic equipment, which includes a lirst set containing at least one clongate electrically conductive element interspersed with a scond set containing at least one electrically conductive element, each element member of the first set being electrically insulated from each other and from every element member of the second set and each member of the second set being electrically connected to every other member of the second set and being electrically insulated from every member of the first set, such that in use the current flow in the first set is in one direction, and the current flow in the second set is in the opposite direction, enabling the magnetic field, created by the first set, to cancel the magnetic field created by the second set, thereby at leaset sustantially reducing the inductivity of the cable.



Provisional specification 05 pages

Complete specification 11 pages

Drgs 03 sheets.

Aud, Ct., 40 B[IV (1)]

177144

Int. Cl.: BOIJ--37/36. Cl2 N--11/14.

A METHOD OF MAKING A BIOCATALYST FOR THE PREPARATION OF INVERT SUGAR SYRUP FROM AQUEOUS SUCROSE SOLUTION.

Applicant: BHABHA ATOMIC RESEARCH CENTRE, TROMBAY, BOMBAY 400085; MAHARASHTRA, INDIA, A SCIENTIFIC INSTITUTION OF THE DEPARTMENT OF ATOMIC ENERGY. GOVERNMENT OF INDIA.

Inventor: DR. SAILEN GHOSH.

Application No : 27/Bom '94 filed on 25:01-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972), Patent Office Branch, Bombay-13.

3 Claims

A method for making a viocatalyst for the preparation of invert sugar syrup from aqueous sucrose solution consisting of mixing 12-25% by weight of the micro-organism Saccharomyces cerevisiae and 60 to 80% by weight of an inert non-toxic viocompatible carrier with 8 to 15% by weight of waterfollowed by heating the resulting mixture at 50 to 70% and curing at room temperature.

(Compl. Speen, 4, pages)

DIWGS, NIL)

Ind Cl.: 40 A: [fV (1)]

177145

Int. Cl.: C J2 P-19/02.

A CONTINUOUS SINGLE STEP BIOCATALYTIC PROCESS FOR THE PREPARATION OF INVERT SUGAR SYRUP FROM AQUEOUS SUCROSE SOLUTION AND A PIOREACTOR FOR CARRYING OUT THE SAME.

Applicant: BHABHA ATOMIC RESEARCH CENTRE, TROMBAY, BOMBAY-400 085, MAHARASHTRA, INDIA, A SCIENTIFIC INSTITUTION OF THE DEPARTMENT OF ATOMIC ENERGY. GOVERNMENT OF INDIA.

Inventor: DR. SAILEN GHOSH.

Application No. 28/BOM/94 filed on 25-1-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972). Patent Office Branch, Bombay-400 013.

4 Claims

A continuous single step biocatalytic process for the preparation of invert sugar syrup from aqueous sucrose solution consisting of passing an aqueous sucrose solution (upto 80% w/v) at PH 5-8 through a bio-catalyst bed at 20 to 60°C, said bio-catalyst bed comprising enzyme invertase derived from 12--25% by weight of the micro-organism Saccharo myces cerevisiae immobilized on 60-80% by weight of an inert non-toxic biocompatible carrier.

(Comp. Specn. 8 pagest

Drw. 1 Sheet).

Ind. Cl. : 55E.

177146

Int. Cl.: A 61 K 35/78.

AN IMPROVED PROCESS FOR THE PREPARATION OF THE HERBAL TONIC FORMULATION.

Applicants: M.s. J. B. CHEMICALS & PHARMACEU-FICALS LIMITED AN INDIAN COMPANY HAVING ITS REGISTERED OFFICE AT 'NFFLAM CENTRE' B' WING, 4TH FLOOR, HIND CYCLE ROAD, BOMBAY-400 025, MAHARASHTRA, INDIA. Inventors: (1) SHRI SHIRISH BHAGWANLAL MODY

(2) DR. MADHUKANT MANSUKHLAL DOSHL

(3) SURE MILIND MATTATRAYA JOSHI.

Application No. 105 BOM, 95 fixed on 7-3-95.

Appropriate value for Opposition Proceedings (Rule 1, Patent Rules 1994), Farent Office Branch, Bombay-400 013.

5 3 James

An improved process for the preparation of a liquid symp of therapeuticalty effective nerbal ingredients designed or intended to provide relief as a tonic in general debility, loss of appetite, stress and rangue comprising of herbal ingredients as iterem stated in this specification, comprising of the following steps:

- (i) 400 I of purified water is transferred to stainless steel jacketed vessel, conted, conted to 80 C to which are added 2 kg sodium Methyl Paraben, I kg of South, Propyl Paraben and 1 kg of Sorbic Acid:
- (ii) 700 kg or sucrose standed to the maxture prepared by step (i) surred confidently till sucrose dissolves, completely, the kgs of Sorbiol solution (70%) is added to it, mixed thoroughly for 10 injustes;
- (iii) 70 L of purified water is transferred to another Stainless Steel Vessel, poiled for 10 minutes, cooled to 80 C to which is added 7 kgs of statum octavoate, this mature is stiffed completely fill it dissolves:
- (iv) requisite quantities of different herbal extracts as described in the description are transferred to separate Stanley, Steet vessels to which is added suffcient amount of sodium Benzoate Solution to each one of the ingredicut, this mixture is mixed with a shovel to allow the extract to dissolve;
- (v) different extract solutions are transferred to stainless steel vessel, sirred and mixed, the mixture is kept for 18 hours at a temperature ranging between 18—25°C, fittered through spatklet fitter, the fittered extract is transferred to sugar syrup as prepared in Step (ii), the herbal extract syrup is stirred, mixed thoroughly for 30 minutes and cooled;
- (vi) the sparkler filter—is cleaned; the sugar syrup—as prepared in step (ii) is filtered through it, transterred to another Stainless Stepl Vessel, to which is added sufficient quantity of Citric Acid dissolved in 31. of boiled and cooled water to adjust the pH between 4.5—5.5;
- (vii) requisite quantity of colour is dissolved in 3L of boiled and cooled water, herbal syrup requisite quantity of essence is added theroto, stirred for 10 minutes, mixed dioroughly, inflicient quantity of boiled and cooled water is added to the herbal syrup to make the volume to 2000 L, st.rred, mixed thoroughly, our of which, 10 L, of syrup is collected from the bottom valve of Stainless Steel Vessel and added from the top of the vessel, this step is repeated, the solution is mixed for 30 minutes to ensure homogeneous syrup and the product so obtained is finally tested for quality standards.

(Comp. Specu. 18 pages;

Drgs. Nil.)

Ind. Cl.: 55 E 4 [XIX (1)]

177147

Int. Cl. : C 07 C, 85/06.

AN IMPROVED PROCESS FOR THE PREPARATION OF 1-(2: 6" DIMETRIVIT PHENOXY)-2-AMINO PROPANE AND ITS ACID ADDITION SALTS THEREOF.

Applicants: M/S. I. B. CHEMICALS & PHARMACEUTICALS LTD. NEELAM CENTRE, "B" WING, 4TH FLOOR HIND CYCLE ROAD, WORLI, BOMBAY-400025 MAHARASHTRA, INDIA.

Inveniors: (1) SHIRISH BHAGWANLAL MODY.

- (2) BHARAT PRAVINCHANDRA MEHTA.
- (3) KAMLESH LALITCHANDRA UDANJ.
- (4) DR. RAJENDRA NAMDEV MAHAJAN.
- (5) DR. MUKESH VENUBHAI PATEL.

Application No. 157/Bom/94 filed Apr 13, 94.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972), Patent Office Branch, Bombay.

4 Claims

An improved process for the manufacture of 1-(2',6'—d'methyl phenoxy)-2-amino propane, represented by the formula given below (1.A).

and its acid addition salts thereof preferably hydrochloride comprising of :--

reacting 2, 6 dime hyl phenol with chloroaccione in methanol and a base such as sodium hydroxide, the reaction mixture on treatment with hydroxyl amine hydrochloride gives the corresponding oxime, which is hydrogenated in presence of an alcohol to give a compound of formula (IA) as given above.

(Comp. Speen. 8 pages;

Drwg. Nil.)

Ind. Cl.; 55E, Gr. [XIX (1)]

177148

Int. Cl.: C07 D—215/56 A 61 K—31/47

AN IMPROVED PROCESS FOR THE PREPARATION OF 1-ETHYL-6, 8-DIFLUORO-1, 4-DIHYDRO-7-(3-METHYL-1-PIPERAZINYL-)-4-OXOQUINOLINE-3- CARBOXYLIC ACID AND ITS SALTS.

Applicant: M/S. J. B. CHEMICALS & PHARMACEUTICALS LTD., NEELAM CENTRE, 'B' WING, 41'H FLOOR, HIND CYCLE ROAD, WORLI, BOMBAY-400 025, MAHARASHTRA, INDIA, AN INDIAN COMPANY REGISTERED UNDER THE COMPANIES ACT.

Inventors: (1) SHRI SHIRISH BHAGWANLAL MODY.

- (2) SHRJ BHARAT PRAVINCHANDRA MEHTA.
- (3) DR. MUKESH VENUBHAI PATEL.
- (4) DR. ATUL ANANT SHRIKHANDE.
- (5) DR, RAJENDRA NAMDEV MAHAJAN.

Patent Application No. 168/Bom/94 filed on 19-4-1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972), Patent Office Branch, Bombay-400 013.

3 Claims

An improved process for the preparation of 1-Ethyl-6, 8-difluoro-1, 4-dihydro-7-(3-methyl-1-piperazinyl)-4-oxoquinoline-3-carboxylic acid represented by formula I, and its pharmaceutically acceptable addition salts, comprising of reacting Ethyl 1-ethyl-6, 7, 8-tr fluoro-1-4, dihydro-4-oxoquonoline-3-carboxylate with 2-methyl piperazine by beating to 60-70°C.

in presence of pyridine the product obtained is extracted and isolated by evaporation, and the ester is hydrolysed with HCL and isopropyl alcohol.

(1)

(Compl. Specn. 8 pages,

Drgs. Nil.)

Ind. Cl.: 55 E 4

177149

Int. Cl.: A 61 K-31/475

AN IMPROVED PROCESS FOR THE PREPARATION OF HERBAL GROWTH AND VITALITY TONIC FORMULATION.

Applicant: M/S. J. B. CHEMICALS & PHARMACEUTI-CALS LTD., AN INDIAN COMPANY HAVING ITS RE-GISTERED OFFICE AT "NEELAM CENTRE", 'B' WING, 4TH FLOOR, HIND CLCYE ROAD, WORLI, BOMBAY-400-025, MAHARASHTRA, INDIA.

Inventors: (1) SHRI SHIRISH BHAGWANLAL MODY.

- (2) SHRI BHARAT PRAVINCHANDRA MEHTA
- (3) SHRI PRANABH DINESH MODY
- (4) DR. SHASHIKANT AVANTILAL VASA-DAVA

Application No. 184/Bom/94 filed on 27-4-94.

| Appropriate Office for Opposition Proceedings (Rule 4, Patent Rules 1972), Patent Office Branch, Bombay-400 013.

4 Claims

An improved process for the preparation of Herbal growth and vitality tonic formulation comprising of the following steps.

Each of the herbal ingredient as stated in the examples is graded, the extraneous material is removed manually, each of the herbal ingredient is shredded and powdered in a hammer mill, the requisite quantity of the herbal ingredient is blended in a mixer, this mixture is mixed with a solvent in a stainless steel jacketted vessel provided with a stirrer and is stirred for about 4 hours, if necessary, more of solvent is added to get the consistency of a slurry which is further stirred continuously for 18-20 hours, the extract is filtered and the residual mass is remarcerted and re-extracted in a similar manner for a period of 12-14 hours, the extract is then filtered, the residual mass is pressed in a press to recover absorbed extract which is filtered, all the filtered extracts are mixed which is concentrated in a thin film vaporiser under reduced pressure at a lower temperature ranging between 45-55°C, the extract is concentrated to the required consistency or spray dried.

(Compl. Speen, 10 pages,

Drgs. Nil:)

Ind. Ct.: 83 A1 [XIV (5)]

177150 •

Trit. Cl.: A 23 L 1/00

A METHOD OF MAKING A NOVEL PIZZA TOPPING.
Applicants & Inventors: Dr. NEFTA SARATVA 7 HIRAL
KUNI. AAREY ROAD GOREGAON (W), BOMBAY400062. MAHARASHTRA, INDIA.

Application No. 147/Bom/1995 filed on 29 Mar. 1995.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rulees, 1972), Patent Office Branch Mumbai-13.

3 Claims

A method of making a novel pizza topping, which comprises he steps of

soak ng noodles in water and I ghtly frying the noodles un il they are crisp;

pouring sheuzwan sauce on the noodles;

sprouting beans;

sprinkling the salt and flavourings into the beam sprouts; adding the beam sprouts to the noodles and sheuzwan sauce; slicing the tomato and slicing the onion into ring form;

placing tomato slices and onion rings on the mixture of noodles and beans sprouts.

Ind, Cl.: 55 E4.

_1771**5**1

Int. Cl.: C 07 B-57/00

A PROCESS FOR THE PREPARATION OF 1, 4-DIHY-DDOPYRIDINFDICARBOXYLIC ESTERS.

Applicants: M/s. UNIQUE PHÁRMACEUTICALS LABORATORIES LIMITED, AN INDIAN COMPANY HAVING ITS REGISTERED OFFICE AT SHETH GOVINDRAO SMRITI, 83 B & C DR. A. B. ROAD WORLI, BOMBAY-400 019, MAHARASHTRA, INDIA.

Inventors: (1) SHRI BHARAT PRAVINCHANDRA MEHTA (2) SHRI KAMALESH I. UDANI (3) DR. KRISHNA RAMCHANDRA SOLANKI.

Application No. 186/Bom/94 filed on 27-4-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office Branch, Bombay-400 013.

9 Claims

A process for the preparation of a 1, 4-dihydropyridine of the formula.

$$R_{1}O_{2}C$$

$$H_{3}C$$

$$H_{3}$$

wherein

R is a phenyl radical which is optionally substituted once of twice by nitro and/or chlorine.

R₁ is a C-C₁ alkyl radial which is optionally substituted by a C₁-C₁ alkoxy group, and

R³ is a C₂-C¹⁰ alkyl radical which is optionally substituted by a C¹-C¹ alkoxy group a trifluoromethyl group or the radical (C⁴ H5 CH²) (H₃) N-comprising reacting ketocarboxylic ester of formula.

with an sidehyde of the formula RCHO wherein R is substituted phenyl in an aliphatic alcohol as solvent in the presence of a catalytic amount of 0.01 to 0.7 moles piperidine acetate at a temperature ranging from about — 10°C upto 100°C, to get ylidene

compound of formula given above, which was subsequently reacted with enamine compound of formula.

wherein R is 2 or 3-nitrophenyl radical, 2 or 3-chlorophenyl radical or 2. 3-dichlorophenyl radical, R1 is methyl, ethyl, propyl isopropyl, isobutyl or propoxyethyl radical, and R2. is methyl, ethyl, propyl isopropyl, isobutyl, n-decyl, mechoxye'hyl,propoxyethyl, trifluoromethyl, or the radical (C6 H5 CH2) (CH3) N-

Ind. Cl.: 55 E4 [XIX (1)] Int Cl.: A 61 K-31/375 177152

AN IMPROVED PROCESS FOR THE PREPARATION OF THE EXTRACT OBTAINED FROM THE AYUR VEDIC MEDICINAL PLANT "AMALAKI".

Applicants: M/s, J.B. CHEMICALS & PHARMACEUTI-CAL LTD. "NEELAM CENTRE", B" WING, 4TH FLOOR, HIND CYCLE ROAD, WORLI, BOMBAY-400 025, MAHARASHTRA, INDIA.

Inventors (1) SHIRISH BHAGWANLAL MODY (2) BHARAT PRAVINCHANDRA MEHTA (3) PRANABH DINESH MODY & (4) DR. SHASHIKANT AVANTILAJ VASAVADA.

Application No 227/Bom/1994 filed on May 18, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Bombay Branch.

7 Claims

An improved process for the manufacture of an extract obtained from Ayurvedic Medicinal Plant "Amalaki" (Emblica Officinals), comprising of grading the fruit of the plant.

the extraneous material is removed manually, the graded fruit is shreeded and powdered in a hammer mill, the powdered fruit is mixed with extracting solvent in a stainless steel jacketed vessel provided with a stirrer, the mixture is stirred vigorously for about 4-5 hrs, more of such extracting solvent is added to convert the above mixture into a slurry, the slurry is stirred vigorously for about 18 00 hr the extract is filtered and the residue is estracted with the extracting solvent by stirring vigorously for 10-12 hrs. the extract is then filtered, the residue is expressed in a pre-s for recovering the absorbed extract which is then filtered, all the extracts are mixed together before concentration, these extracts are concentrated to thick, paste in a thin Jayer vapouriser under reduced pressure, the extract may be optay dried at a temperature ranging between 45-75°C to dry powder.

Compl. Speen. 9 pages

Drgn. Nil

Ind. Cl.: 55 E 4

177153

Int. Cl.: A 61 K=-31/715

AN IMPROVED PROCESS FOR THE MANUFACTURE OF HERBAL EXTRACTS OBTAINED FROM 'AYUR-VEDIC MEDICINAL PLANT, SUCH AS "SHATAVARI",

Applicants: I.B. CHEMICALS & PHARMACEUTICALS LTD. NEELAM CENTRE, "B" WING, 4TH FLOOR HIND CYCLE ROAD, WORLI, BOMBAY-400 025, MAHARASH-TRA, INDIA

Inventors: (1) SHIRISH BHAGWANLAL MODY (2) BHARAT PRAVINCHANDRA MEHTA (3) PRANAB DINESH MODY (4) DR. SHASHIKANT AVANTILAL VASAVADA.

Application No. 229/Bom/1994 filed on May 18, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Bombay Branch.

Claims

An improved process for the manufacture of herbal extracts from Shatavari comprising the steps of grinding the dried roots of Shatavari in a powdered form in a hammer mill, the powdered active ingredient is extracted with the extracting solvent at pH T-9.5 in a stainless steel vessel with continuous stirring, the extract is filtered and the residue is re-extracted in the same manner, the temperature of the extraction is maintained between 40—45°C, the residue is expressed in a press for removing the absorbed extract, in the active ingredient, the recovered extract is then filtered and all the filtered extracts are mixed together, the filtrate thus obtained is concentrated to a thick past or dry powder under reduced pressure at a temperature of 40—80°C to get maximum yield of the active ingredient with minimum degradation.

Drgn, Nil

Ind.: C1. : 55 F.4

177154

Int. Cl.: A 61 K - 31/47.

AN IMPROVED PROCESS FOR THE PREPARATION OF 1-ETHYL - 6 FLUORO-1, 4-DIHYDRO-7-(1-PIPERAZINYL) - 4-OXO - QUINOLINE-3-CARBOXY-1.IC ACID.

Applicant: M/S. J. B. CHEMICALS & PHARMACEUTI-CALS LTD., "NEGLAM CENTRE", "B" WING, 4TH FLOOR, HIND CYCLE ROAD, WORLL, BOMBAY-400.025, MAHARASHTRA, INDIA.

Inventor: (1) SHTRISH BHAGWANLAL MODY.

- (2) BHARAT PRAVICHANDRA MEHATA,
- (3) KAMLESH LALITCHANDRA UDANI,
- (4) DR. ATUL ANANT SHRIKHANDE.

Application No.: 283/Bom/1994 filed on Jun. 27, 1994.

Appropriate Office for Opposition Proceedings (Rule 4. Patents Rules, 1972). Patent Office Branch Bombay-400 013.

4 Claims

An improved process for the preparation of 1-ethyl-6-fluorow1, 4-dihydro-7-(1-piperazinyl)-4-oxo-quinoline-3-carboxylic acid, represented by the formula I.

which is prepared by the reaction of 1-Ethyi-6-fluoro-7-chloro-1; 4-dihydro-4-oxo quinoline-3-carboxylic-acid with anhydrous poperazine in a solvent such as pyridine. The anhydrous poperazine from 700 to 900 C, most preferably temperature of the reaction varies from 70°C to 90°C, most preferably it varies from 70-75°C to yield a compound of formula I. The hydrochloride compound of formula I, is prepared by dissolving the said compound in a lower alkanol such as isopropanol and adding an etheral solution of hydrozen chloride to yield the hydrochloride of compound of formula I.

(Compl. Speen. 7 pages;

Drgns, Nil).

Ind. Cl.: 55 E4

177155

Int. Cl. : A61 K - 31/00,

AN IMPROVED PROCESS FOR THE MANUFACTURE OF THE EXTRACT OBTAINED FROM AYURVEDIC MEDICINAL PLANT. VIZ., KATUKI /PICRORHIZA KURROA).

Applicant: M/S. J. B. CHEMICALS & PHARMACEUTI-CALS LTD., NEELAM CENTRE, 'B' WING. 4TH FLOOR, HIND CYCLE ROAD, WORLI, BOMBAY-400 025, MAHARASHTRA, INDIA.

Inventore: (1) SHRI SHIRISH BHAGWANLAL MODY,

- (2) SHRI BHARAT PRAVINCHANDRA MEHTA.
- (3) SHRI PRANABH DINESH MODY,
- (4) SHRI SHASHIKANT AVANTILAL VASAVADA.

Application No.: 313/Bom/94 filed on 05-7-1994.

Appropriate Office for Opposition Proceedings (Rule 4, Printing Rules, 1972), Patent Office Branch, Bombay-406 013.

7 Claims

An improved process for the manufacture of the therapeutically effective extract from 'Katuki' comprising of grading, shredding and powdering the dry rhizome and root of the plant Katuki, in a hammer mill, the extraneous material is removed manually, the powdered ingredient is mixed with extracting solvent in a (304) stainless steel jacketed vessel provided with a stirrer for about 2-6 hrs and more of such extracting solvent is added, if necessary, to convert the mixture into a slurry which is stirred continuously for 18-24 hrs, the extract is filtered in a stainless steel sparkler filter the residual mess is reextrected in a similar manner, the residual solvent mixture is stirred continuously for 8-12 hrs the extract is filtered and the residual mass is expressed to recover the absorbed extract, which is also filtered, all the said filtrates are mixed together this mixture is concentrated to thin film vaporiser under reduced pressure, the extract is converted to dry powder by spray drying at temperature not exceeding 55°C.

(Compl. Specn. 10 pages;

The state of the s

Drgns. Nil)

Ind. Cl.: 55 E4

177156

Int. Cl.: A 61 K - 31/00,

"AN IMPROVED PROCESS FOR THE PREPARATION OF THE EXTRACT OBTAINED FROM THE AYURVEDIC MEDICINAL PLANT 'PIPPALI'".

Applicant: M/s. J. B. CHEMICALS & PHARMACEUTI-CALS LTD., NEELAM CENTRE, 'B' WING 4TH FLOOR, HIND CYCLE ROAD. WORLI, BOMBAY-400 025, MAHA-RASHTRA, INDIA.

Inventors: (1) SHIRISH BHAGWANLAL MODY,

- (2) BHARAT PRAVINCHANDRA MEHTA.
- (3) PRANABH DINESH MODY,
- (4) DR. SHASHIKANT AVANTILAL VASAVADA.

Application No.: 314/Bom/1994 filed on July 5, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office Branch, Bombay-400 013.

8 Claims

An improved process for the manufacture of the therapeutically effective extract from the Ayurvedic Medicinal plant "Pippali" comprising the steps of grading shredding and powdering the fruit or root of the said plant "Pippali" the powdered plant undergoes steam distillation process comprising of a perforated backet containing the powdered plant (fruit or root) outer (304) stainless steel jacketed vessel provided with an inlet for seam & heat exchanger through which cold water is circulated the perforated basket containing the said plant is dipped partially in water and stem under pressure, is passed through the perforated basket, the con-densate/distillate containing volatile oil is collected the two layers viz. volatile oil and water are separated by conventional methods the wet residue from the basket in the distillation unit is transferred to a (304) stainless steel vessel provided with a stirrer the extracting solvent is added if necessary and the mixture is stirred continuously for 18-24 hours, it is filtered in a stainless steel sparkler filter, the residue is reextracted in the extracting solvent by continuous, stirring for 8-12 hours, it is filtered and the residue is expressed in a press to recover the absorbed extract which is filtered again and all the filtered extracts are mixed together, this mixture is concentrated in a thirt film vaporiser under reduced pressure, if necessary it may be converted into a dry powder by spray drying at a temperature not exceeding 550 C, the volatile oil is collected from the said herbal plant by steam distillation, is mixed with the concentrated or dry powder extract to get a uniform mixture.

(Compl. Specn, 13 pages)

Drgns. Nil),

Ind. Cl.: 17 A 1, A 3

946

177157

Int. Cl.: A 23 L = 1/09, 1/00.

IMPROVED PROCESS FOR PREPARING VITAMINIZED SWEET-AN-SOUR LEMON PICKLE RICH IN NATURAL VITAMINIZED 'A' 'B' & 'C'.

Applicant: INDO-BIOTECH FOODS LTD., INDUSTRIAL ASSURANCE BLDG., CHURCH GATE, BOMBAY-400 020, MAHARASHTRA, INDIA.

Inventor: SHRI DILIP SHANTARAM LAHANUKAR.

Application No.: 338/Bom/94 filed on July, 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office Branch, Bombay-400 013.

3 Claims

Improved process according to this invention for preparing vitaminized sweet-and-sour lemon pickles having rich natural vitamins 'C' in lemon and rich natural vitamins 'A' and 'B' in respective Carrots and green gram with their coverings comprising the steps of:

- (i) pickling separately in known manner lemon mixed with salt, oil and spices to suit tests and allowing the admixture to get pickled and natured at room temperature for a period varying from 1 to 3 months;
- (ii) cutting lengthwise slices of carrots and mixing with whole green gram with their covering and separately pickling in salt admixed with chilli powder, turmeric, asafoedite, fenngrik, musterd seed powder and oil to suit lests and palate and allowing the admixture to get pickled at room temperature;
- (iii) mixing throughly the pickled lemon of step (1) with pickled product of step (ii) just before vacuum packing in bottle or the like container such that natural vitamins 'A' in pickled carrots and natural vitamin 'B' in pickled green gram get throughly mixed with natural vitamin C in pickled lemon giving sweet-and-sour spicy tests for the palate and characterized in that said pickled carrot slices and/or said whole green gram do not become soggy or testeless.

(Compl. Specn. 7 pages;

Drgns, Nil).

Ind. Cl.: 83 A 1 [XIV (5)]

177158

Int, Cl. : A 23 L-1 00.

IMPROVED PROCESS FOR MANUFACTURING NATURAL ROSE SYRUP.

Applicant & Inventor: DILIP SHANTARAM DAHANT'-KAR AN INDIAN CITIZEN, INDUSTRIAL ASSURANCE BUILDING CHURCH GATE, BOMBAY-400 020 MAHA-RASHTRA, INDIA.

Application No. 339/Bom/94 filed on 25-7-94.

Appropriate Office for Opnosition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch Bombay-13,

2 Claims

Process for manufacturing natural rose syrup comprises the steps of :

(i) allowing to get mature for a neriod varying from 1-3 months in an air tight sealed container a layer of equal quantity of pink rose petals of the Demasina variety alternately spread and interleaved with layer of equal quantity of sugar and in like manner alternately spreading plurality layers of rose petals and sugar laid in said container to form a matured sandwich pack without addition of any chemicals artificial colours of flavouring essences;

- (ii) emptying the product of step (i) into a container and adding viscous sugar syrup of not less than 55 Brix in the proportion of 10-15% of product of step 1 with 90-85% sugar syrup and vigorously stirring in a homogenizer to form a slurry;
- (iii) heating the homogenized mass of step (ii) in a steam jacketed stainless steel vessel at a temperature less than 60 deg. C.;
- (iv) sieving the product of siep (iii) by using a known positive pump and adding to the filtrate 2-5% kokum syrup with 95% concentration by weight of the product of step (iii) and vigorously stirring in a stirrer to import natural pink colour of kokum to the rose syrup before filling in air tight bottles.

(Comp. Specn. 6 pages;

Drg. Nil.)

Ind. Cl.: 55E4

177159

Int. Cl.: C07 C 57/30 C07 B 57/00.

AN IMPROVED PROCESS FOR THE PREPARATION OF PHENYLPROPYLAMINE.

Applicants: MS. J. B. CHEMICALS & PHARMACEUTI-CALS LTD., NEELAM CENTRE, 'B' WING, 4TH FLOOR, HIND CYCLE ROAD, WORLI, BOMBAY 400 025, MAHARASHTRA, INDIA, AN INDIAN COMPANY REGISTERED UNDER THE COMPANIES ACT.

Inventors: (1) MR. SHIRISH BHAGWANLAL MODY

- (2) MR. BHARAT PRAVINCHANDRA MEHTA
- (3) MR. KAMLESH LALITCHANDRA UDANI
- (4) DR. MUKESH VENUBHAI PATEL
- (5) DR. RAJENDRA NAMDEV MAHA-JAN.

Application No. 282/Born/94 filed on 27-6-94.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch Bombay-13.

5 Claims

An improved process for the preparation of N-methyl-3-(p-trifuoromethylphenoxy)-3-phenylpropylamine having formula I.

comprising of reducing -B dimethylamino propiophenone to give N. N-dimethyl-3-phenyl-3-hydroxy propylamine, the hydrochloride of this compound is reacted with thionyl chloride to give the corresponding chloro derivative, the reaction of the chloro derivative with p-trifluoromethylphenol gives dimethyl derivative of formula I, the dimethyl compound is thereafter treated with cyanogen bromide to give N-cyano derivative which is hydrolysed in aqueous sodium hydroxide and methanol to give a compound of formula I.

(Comp. Specn, 10 pages;

Drgs. Nil).

Ind. Cl. : 55 E 2 & E 4 [XIX (1)]

177160

Int. Cl. : C 12 N, 9/99.

ISOLATION OF D-AMINO ACID OXIDASE FROM TRIGONOPSIS VARIABILIS CELLS BY CHEMICAL EXTRACTION.

Applicants: HINDUSTAN ANTIBIOTICS LTD, PIMPRI, PUNE-411 018, MAHARASHTRA, INDIA.

Inventors: (1) SALIM K. MUJAWAR

- (2) VIYALOBRON K. SUDHAKARAN
- (3) DR. JAI PRAKASH G. SHEWALE
- (4) DR. GHANSHYAM D. TANDON &
- (5) DR. SURESH R. NAIK.

Application No. 386/Bom/94 filed on 11 Aug., 1994.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch Bombay-13.

2 Claims

A process for isolation of D-amino acid oxidase from cells of Trigonopsis variabilis which comprises of suspending the cells in phosphate buffer solution of molarity of 0.05 and pH of 8.0; adding to the slurry a nonpolar solvent such as butyl acetate or toluene to a final concentration up to 6.0% v/v, a polar solvent such as ethyl alcohol or butyl alcohol to a concentration up to 4.0% v/v, denaturing agent such as beta-mercaptoethanol to a final concentration of 100mM and surface active agent such as Triton-X-100 or 100mM and surface active agent such as Triton-X-100 or Aliquot 336 to a final concentration of 0.5% w/v; agitating the resultant mixture at 37°C for 4 hours; centrifuging the s'urry and dialysing the supernetant as herein described.

(Comp. Speen, 11 pages;

Drgns. Nil.)

Ind. Cl.: 127 A [LXV (1)]

177161

Int. Cl.: F 16 D 27/02 H 01 H 3/56.

AN IMPROVED ELECTRO MAGNETIC CLUTCH.

Applicants: KIRLOSKAR PNEUMATIC CO. LTD. HADAPSAR INDUSTRIAL ESTATE, PUNE 411 013, MAHARASHTRA, INDIA.

Inventors: (1) DR, VIKRAM GOVIND NABAR &

(2) SHRI JANARDAN RAMCHANDRA THAKUR.


. Applicant No. 131/Bom/93 filed Apr 29, 93.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch Bombay-13.

1 Claim

The electromagnetic clutch comprising main clutch assembly having a grooved hub for running plurality of 'V' belts to rotate armature or as a variation another set of grooves for rotating the said hub directly by another independent engine, the said clutch assembly is mounted on a compressor, characterised in that the said electromagnetic clutch comprises a star plate having plurality of segment attached to a concentric ring, the said ring having sufficient width for surface contact with the hub portion, there is provided a tapered bush, a key and a circumferentially provided electrical coil capable of being energised, the said clutch is mounted on the crank shaft of the compressor; a thermostat to sense the temperature and energise the coil to magnetise the clutch

plate which is attracted towards inner housing and rotated along with the inner housing which results in the rotation of the tapered bush and hence the crank shaft of the compressor of the airconditioning unit.



(Comp. Specn. 5 pages;

Drwg. 3 Sheets.)

Ind. Cl.: 94 I [XXXIII (1)]

177162

Int. Cl.: C 13 D 1/06.

IMPROVED INTEGRAL FIVE ROLLER MILL FOR SUGARCANE CRUSHING.


Applicant & Inventor: SHAHAJI BHANUDAS BHAD, J 179 MIDC, BHOSARI, PUNE 411 026, MAHARASHTRA STATE, INDIA.


Application No. 149, Bom/93 filed on May 13, 93,

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch Bombay-13.

1 Claim

An improved internal five roller mill for sugarcane crushing comprising a mill head stock, top roller, discharge roller and feed roller, a pressure feeder unit comprising two or three rollers along with pressure chute and bearing housing, the said mill head stock is provided with an extended portion for directly mounting the said pressure feeder unit, the feed roller is mounted in the said mill head stock with side cap with the help of two sliding pine, the said cap is provided with forks at its both ends, arrangement being such that the overall width of the said extended portion of the head stock is kept less than the width of the said fork of the side cat.





(Comp. Specn. 6 pages;

Drgs. 4 Sheets.)

Ind. Cl. 40 B [IV (1)]

177163

Int. Cl.: B 01 J 23/74.

METHOD FOR THE PREPARATION OF NICKEL/ SILICA CATALYST.

Applicant: HINDUSTAN LEVER LIMITED, 165/166, BACKBAY RECLAMATION, BOMBAY-400 020, MAHA-RASHTRA, INDIA.

- Inventors: (1) BRIGITTE FELDHAUSER
 - (2) WICHER TUMEN KOETSIER
 - (3) CORMELIS MARTINUS LOK.

Application No. 296/Bom/93 filed Sep. 17, 93.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13.

9 Claims

A method for the preparation of a nickel/silica catalyst having a molar ratio Ni/Sio2 of 10 to 2.5, optionally comprising magnesium and or, in addition to silica, alumina as a supporting material for hydrotreating of organic compounds, in which method a water insoluble nickel compound optionally comprising magnesium is precipitated from an aqueous solution and combined with the supporting material, the resulting product being collected by filteration, washed, dried, and optionally calcined and reduced (activated), characterized in that a water insoluble compound comprising nickel and optionally magnesium is precipitated together with at least a small but effective amount of zine to improve the activity and/or selectivity of the catalyst in the hyrogenation of unstructed animal and waterblag fats and oils. turated animal and vegetable fats and oils,

(Comp. Specn. 21 pages;

Drgs. Nil.)

Ind. Ct.: 173 B

177164

Int. Cl.; B 05 B 5/00 5/02.

"ATTACHMENT FOR SPRAYING SOLUTIONS CHARGED WITH POSITIVE IONS".


Applicant & Inventors: DILIP SHANTARAM DAHANUKAR, AN INDIAN CITIZEN INDUSTRIAL ASSURANCE BUILDING, CHURCH GATE, BOMBAY-400 020, MAHARASHTRA, INDIA.

Application No. 351/Bom/93 filed Oct 27, 93.

Appropriate Office for Opposition Proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13.

7 Claims

Attachment for pressure operated agrayers for spraying liquid agray solution charged with positive ions comprasing a sprayer fitted with a lance carrying a spray nozzle and connected by a flexible tubing to outlet of pressure tank of sprayer wherein said lance being made of electrically non conductive prastic material and fitted with a pressure nozzle of noncorresive conductive metal; having a terminal post, an electronic DC pulse generator generating 10000—20000 DC Voltage from 6/9 Volt DC battery wherein positive of said pulse generator being connected to said mozzle terminal and negative thereof being connected to conductive metallic ball through a long metallic chain or a shoe plate nailed to a shee sole forming Earthing.



(Comp. Speen, 11 pages;

Drgs. 2 Sheets.)

Ind. Cl.: 55 B 2 Gr. [XIX (1)]

177165

Int. Cl.: B 65 B 55/00.

A HIGH EFFICIENCY GAS FILTER FOR AN APPARATUS FOR CONTROL OF AIRBORNE PARTICULATES IN AN ENCLOSED WORK SPACE.

Applicants: KLENZAIDS BIOCLEAN DEVICES (P) 1.TD., A-21, M.I.D.C. INDUSTRIAL AREA, STREET No. 3, ANDHERI (E) MUMBAI-400 093, MAHARASHTRA, INDIA, AN INDIAN PRIVATE LIMITED COMPANY REGISTERED UNDER THE INDIAN COMPANIES ACT, 1956.

Inventor: CHANDRU MANGHARAM SHAHANI.


Patent application No. 407/Bom/93 filed on 30-11-93.

Complete after provisional apacification filed on 12 18-94.

Appropriate Office for Opposition Proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13.

14 Claims

A high efficiency gas filter for an apparatus for control of sirborne particulates in an enclosed work place comprising two continuous sheets of filtering media having a plurality of pleats forming a filter pack or matrix, said filtering media having a filter pack or matrix, said filtering media having a high-open area chargeable metal acreen as the middle ply, the said filter pack or matrix together with the said metal screen is placed in a lookable metal frame, chemically bonded with sealing compounds.



(Prov. Specn. 13 pages;

Drgs. 02 Sheets.)

Drgs. 04 Sheets.)

(Somp. Speen. 15 pages;

177166

Ind. Cl.: 116 B, 6 [XLIX] Int. Cl.: B 65 B 35/50

B 65 H 39/00.

A COLLATING APPARATUS HAVING A TRANSFER DEVICE FOR A STACK OF FLAT ARTICLES.

Applicant: HINDUSTAN LEVER LIMITED, 165/166, BACKBAY RECLAMATION, BOMBAY-400 020, MAHARASHTRA, INDIA.

Inventors: (1) GEOFFREY WILLIAM YERNON

- (2) JAMES GOODWIN
- (3) DIAVID SEAWARD
- (4) THOMAS WILLIAM BAILEY.


Application No. 408/Bom/93 filed Dec 12, 93,

U. K. Priority Convention date Nov 30, 1990.

Appropriate Office for Opposition Proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13.

9 Claims

collating apparatus having a transfer device for a stack of generally flat articles comprising a downwardly extending guide for containing the articles as they are accumulated in a stack support means within the said guide extending downwardly from an upper entry region of the guide and displaceable with the accumulation of said articles within the guide to at least partly compensate for the increasing height of the accumulating stack, an engagement device being provided for engaging the top of a completed stack prior to its removal from the guide by a take off device to compress the height of the stack, and a transfer device for receiving the stack of articles removed from the guide and transferring them to a filling station while reorienting the stack in a substantially horizontal position prior to depositing the stack in a container at said station.



(Comp. Speca, 9 page;

Drng. 6 Sheets.)

Ind. Cl.: 26. Gr. [XL III (1)]

177167

Int. Cl.: B 65 D 47/42.

A DEVICE FOR CLEANING FLAT SURFACES.

Applicant & Inventor: CHANDRAKANT LALJI GALA INDIAN NATIONAL OF 186, NARSHI NATHA STREET, MUMBAI-400 009, MAHARASHI RA INDIA.

Patent application No. 425/Bom, 93 filed on 16-12-93.

Appropriate Office for Opposition Proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13.

10 Claims

A device for eleaning substantially flat surfaces which comprises


a handle portion consisting of a receptacle in which cleaning fluid can be held; and

a head portion which can be removably fitted to the handle portion and comprising :

a spray nozzle, which can draw oleaning fluid from the receptacle in the handle portion for spraying the cleaning fluid on to a surface that is required to be cleaned with the device:

a sponge element for applying cleaning fluid on the surface to the cleaned and removing dust and grime from the said surface; and

a resilient wiper element for wiping the surface to . remove the cleaning fluid, dust and grim from the surface.



(Comp. Specn. 9 pages;

Drwg 2 Sheets.)

Ind. Ct.; 185 E (XVIII)

177168

Int. Cl.: A 23 F 3/16.

PROCESS FOR MANUFACTURING COLD SOLUBLE & CHILL STABLE READY TEA.

Applicant: HINDUSTAN LEVER LIMITED, HINDUS-AN LEVER HOUSE, 165/166, BACKBAY RECLAMA-TION, BOMBAY-400 020, MAHARASHTRA, INDIA.

- Inventors: (1) STEVEN ALPHONSE GOBBO
 - (2) JOHN WILLIAM TOBIN
 - (3) DOUGLAS ASHLEY BALANTINE.

Application No. 439/Bom, 93 filed Dec 24, 93.

Appropriate Office for Opposition Proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13,

10 Claims

A process for preparing stabilized acidified liquid tea products comprising:

- (a) substantially dissolving in water to form a tea solution, a concentrated powdered tea product at a level of about 0.3% tea solids or less, said powdered tea product being obtained by reducing he moisture content of a tea solution to a level not exceeding about five percent by weight on a tea solids basis;
- (b) acidifying said tea solution to a pH of about 4.5 or less, if said tea solution is not already at said pH

adding a sufficient amount of a high methoxy poetin to said acidified tea product to result in a total amount of said pectin in said acidified tea product of about 50 to 500 parts per million (ppm). Ind, Cl.: 105 A Gr. [XLI (7)]

177169

Int. Cl.,: B 42 D 05/04.

WALL CALENDAR.

Applicant & Inventor: ANAND RAMDAS SHIRALI INDIAN NATIONAL OF 2, RAOTE HOUSE, 155Q, L. J. CROSS ROAD MAHIM, MUMBAI-400 016, MAHARASH-TRA, INDIA.

Patent application No. 442/Bom, 93 filed on 27-12-93.

Appropriate Office for Opposition Proceeding (Rule 4, Patents Rules 1972), Patent Office Branch, Bombay-13.


4 Claims

A wall calendar which comprises :

a plurality of elongate sheets each of the sheets being folded in the middle to provide a saddle and define two distinct sheet elements upon each of which at least information relating to one calendar month can be printed or otherwise applied;

staples provided on the saddle to secure the plurality of elongate sheets together; and

a flexible clongate thread element in the form of a continuous loop through which the secured plurality of sheets can be removably looped to enable the wall calendar to be hung on a suitable peg across which the thread element is slung.



(Comp. Speen. 8 pages;

Drwg. 2 Sheets).

Ind. Ch.: 3 A Gr. [XIV (1)]

177170

Int., Cl.: A 23 L-2/26; B 01 F-1/00.

METHOD OF CARBONATING A STERILISED LIQUID PRODUCT.

Applicant; HINDUSTAN LEVER LIMITED PANY INCORPORATED UNDER THE INDIAN COM-PANIES ACT, 1913 OF HINDUSTAN LEVER HOUSE, 165/166, BACKBAY RECLAMATION BOMBAY-400 020, MAHARASHTRA, INDIA.

Inventors: (1) SIMON MARTYN GOTHAM (2) PAUL ANTHONY HAYWOOD

Patent Application No. 20/Bom/94 filed on 24-1-94.

(Comp. Sptcn. 30 pages;

Drg. 1 Sheet).

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, Bombay-400 013.

8 Claims

A method of carbonating a sterilized liquid product, comprising sterilising the product, performing an initial carbonation of the product under sterile conditions, asceptically filling a container with the product, adding to the container an appropriate amount of a sterile substance capable of generating carbon dioxide gas so as to perform a second carbonation, and sealing the container.

(Compl. Specn. 9 pages;

Drgs. Nil.)

CLAIM UNDER SECTION 20(1) OF THE PATENTS ACT, 1970

In pursuance of leave granted under Section 20(1) of the Patents Act, 1970 Application No. 658/Del/86 (170741) PIAGGIO & C.S.P.R. has been allowed to proceed in the name of PIAGGIO VEICOLI EUROPET S.r.l., Italy.

RESTORATION PROCEEDINGS

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 156175 granted to Asea Brown Boveri Ltd. for an invention relating to "two phase solar heater".

The patent ceased on the 5th September, 1995 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 24th July, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate. with the Controller of Patents, The Patent Office. Nizam Palace, 2nd M.S.O. Building, 5th. 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act. 1970 for the restoration of Patent No. 156178 granted to Asea Brown Boveri Ltd. For an invention relating to "two phase solar absorber panel, method of manuacturing the same and solar collection having the same".

The patent ceased on the 5th September, 1995 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 24th July, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate. With the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building 5th 6th & 7th Floor, 234/4. Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules. 1972. A Written Statement, in triblicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 156938 granted to Asea Brown Boveri Ltd. for an invention relating to "a device for measuring the frequency of an input voltage".

The patent ceased on the 1st September, 1995 due to non-notiment of renewal fees within the prescribed time and the cossation of the natent was notified in the Gazette of Indiac.

Part III. Section 2 dated the 24th July, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate, with the Controllef of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 167489 granted to Stockholm Trade Company Akticholag for an invention relating to "a process for the preparation of a composition for use in protective coating of substrates".

The patent ceased on the 20th November, 1995 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 10th November, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate, with the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Bullding, 5th, 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 173731 granted to Surendra Rhudayaniwas Kotkar for an invention relating to "an improved portable auto service lift jack".

The patent ceased on the 19th September, 1995 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 10th November, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate. With the Controller of Patents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th. 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 173915 granted to K. P. Gandhirajan for an invention relating to "am improved catamaran".

The patent ceased on the 16th September, 1995 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 10th November, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate, with the Controller of Patents. The Patent Office, Nizam Palace, 2nd M.S.O. Building. 5th. 6th & 7th Floor, 234/4. Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patents Act, 1970 for the restoration of Patent No. 175356 granted to A. C. Gunta & Mrs. Anju Kumar for an invention relating to "a DC linear displacement transducer".

The patent ceased on the 19th May, 1996 due to non-payment of renewal fees within the prescribed time and the cessation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 24th August, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate, with the Controller of Pa'ents, The Patent Office, Nizam Palace, 2nd M.S.O. Building, 5th, 6th & 7th Floor, 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate setting out the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filled with the notice or within one month from the date of the notice.

Notice is hereby given that an application was made under Section 60 of the Patenta Act, 1970 for the restoration of Patent No. 175401 granted to North Star Ice Equipment Company (India) Pvt. Ltd. for an invention relating to "an apparatus to produce and deliver sluth ice".

The patent ceased on the 7th Iune, 1996 due to non-payment of renewal fees within the prescribed time and the ceasation of the patent was notified in the Gazette of India, Part III, Section 2 dated the 10th November, 1996.

Any interested person may give notice of opposition to the restoration by leaving a notice on Form 32 in duplicate, with the Controller of Parents, The Patent Office, Nizam Palase, 2nd M.S.O. Building, 5th, 5th & 7th Floor, 234/4, Acharya Iagadish Bose Road, Caloutta-700 020 on or before the 23-1-1997 under Rule 69 of the Patents Rules, 1972. A Written Statement, in triplicate satting but the nature of the opponents interest, the facts upon which he bases his case and the relief he seeks, shall be filed with the notice or within one month from the date of the notice.

RENEWAL FEES PAID

157332 157983 158610 158794 158813 158997 159054 159789 160082 160555 160660 160842 161061 161330 162244 162358 162369 162500 162514 162589 162593 162748 162905 163657 163795 164014 164334 164486 164487 164977 165457 165893 166196 166375 167623 167923 167931 168210 169089 169090 169256 169631 169634 169635 169636 169637 170443 170862 171004 171220 171342 171794 171950 171980 172008 172030 172047 172048 172108 172139 172167 172248 172249 172295 172335 172347 172399 172516 172585 172662 172689 172690 172966 174016 174187 174319 174346 174354 174454 174468 174471 174473 174475 174476 174478 174479 174481 174484 174485 174551 174554 174556 174557 174558 174559 174560 174561 174564 174565 174602 174604 174605 174606 174628 174632 174702 174726 174727 174728 174729 174766 174777 174779 174782 174811 174813 174814 174853 174855 174856 174857 174948 174995

PATENT SEALED ON 01-11-96

176385 176387 176389 176390 176392 176393 176394* 176396 176398* 176404* 176405 176406* 176408 176409

. CAL-NIL, DEL-05, MUM-09, MAS-NIL

*Patent shall be deemed to be endorsed with words LICENCE OF RIGHT Section 87 of the Patents Act, 1970 from the date of expiration of three years from the date of scaling.

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for period of two years from the date of registration except as provided for in Section 50 of the Design Act, 1911.

The date shown in the each entries in the date of the registration included in the entries.

- Class 1, No. 170630. Precimet Diamonds (India) Limited of 1106, Panchhratna, Mama Paramanand Marg, Opera House, Bombay-400 004, India, "TOKEN", 24th January 1996.
- Class 3. No. 168952, Motorola, Inc., a Corporation of the State of Delaware, U.S.A., of 1303 East Algonquin Road, Schamumburg, Illinois 60196, U.S.A., "DATA COMMUNICATIONS DEVICE HOUS-ING, 24th March 1995.
- Class 3. No. 169861, MRF Limited, 124 Greams Road, Madras-600 006, Tamilnadu, India, "PRECURED TREAD RUBBER", 15th September 1995.
- Class 3. No. 168568, Stand pack Pvt. Ltd., 25 Community Centre, East of Kallash, New Delhi-110 065, India, "POUCH", 2nd January 1995.
- Class 3. No. 170419, The Procter & Gamble Company, a Corporation organized and existing under the laws of the State of Ohio, U.S.A., of One Procter & Gamble Plaza, Cincinnati, State of Ohio, U.S.A., "MENSTRUAL PAIN RELIEF PAD", 18th December 1995.
- Class 3 No. 170838, The Goodyear Tire & Rubber Company, a corporation organized under the Laws of the State of Ohio, with offices at 1144, East Market Street, Akron, Ohio 44316-0001, U.S.A., "TYRE", 7th March 1996.
- Class 3. No. 170925, Patton Tanks Ilmited, of 3C Camac Street, Calcutta-700 016, West Bengal, India, "TRAFFIC CONES", 19th March 1996.
- Class 3. No. 170876, MRF Limited, an Indian Company, 124, Greams Road, Madras-600 006, India, "TYRE", 13th March 1996.
- Class 12. No. 170100. Mahi Pal Gupta. Autopal Industries
 Ltd., E 195(A) Riico Industrial Area, Sanganer,
 Jaipur. Rajasthan, India, Indian, "LIGHT FIXTURE", 1st November 1995.
- Class 12. No. 170285, Taurus Merchandising Pvt. Ltd., and Indian Company of E 15. South Ertension Part II, New Delhi-110 049. India. "QUILT/BED-SPREAD. 24th November 1995."

T. R. SUBRAMANIAN
Controller General of Patents.
Designs & Trade Marks